

University of Central Florida
STARS

FSEC Energy Research Center®

11-29-1999

Energy Efficient Industrialized Housing Research Summary of FY1998 Activities (July 1998 - August 1999)

Florida Solar Energy Center

Janet McIlvaine

Florida Solar Energy Center, janet@fsec.ucf.edu



Part of the [Energy Systems Commons](#)


Find similar works at: <https://stars.library.ucf.edu/fsec>

University of Central Florida Libraries <http://library.ucf.edu>

This Contract Report is brought to you for free and open access by STARS. It has been accepted for inclusion in FSEC Energy Research Center® by an authorized administrator of STARS. For more information, please contact STARS@ucf.edu.

STARS Citation

Florida Solar Energy Center and McIlvaine, Janet, "Energy Efficient Industrialized Housing Research Summary of FY1998 Activities (July 1998 - August 1999)" (1999). *FSEC Energy Research Center®*. 662.
<https://stars.library.ucf.edu/fsec/662>



You are here: [BAIHP](#) > [Publications](#) > [Pre-2000 Pubs](#) > CR 98-99

**Energy Efficient
Industrialized Housing Research
Summary of FY 1998 Activities
(July 1998 - August 1999)
FSEC-CR-1111-99**

November 1999

Florida Solar Energy Center (FSEC)
A Research Institute of the University of Central Florida
1679 Clearlake Road
Cocoa, Florida 32922

FSEC University of Central Florida Account No. 26-58-818
U.S. Department of Energy Contract No. DE-FC51-94R020277

By:
Janet McIlvaine
David Beal
Subrato Chandra
Armin Rudd
Brian Fuehrlein
Matthew McCloud

TABLE OF CONTENTS

[Acknowledgements](#)
[Introduction and Summary](#)

[Task1. Energy-Efficient and Healthy Houses](#)

[Entry Level Housing](#)
[1997 Orlando Health House®](#)
[New Holly Park](#)

[Task2. Whole-House Testing and Research](#)

[Centex Homes - Dallas, TX](#)
[Centex Homes - Sarasota, FL](#)
[Nationwide Modular Homes - Raleigh, NC](#)
[Red Geranium - New Harmony, IN](#)

[Task3. Innovative Building Components Development](#)

[FanRecycler](#)
[Metal-Wood Framing Members](#)

[Task4. Residential Design Assistance Center \(Habitat\)](#)

[Design Reviews](#)
[Construction Site Hands-on Training](#)
[Training Workshops and Seminars](#)
[Field Evaluation of Energy Conservation Concepts](#)

Task5. Manufactured Housing
Partnership with Palm Harbor Homes
Manufactured Housing Research Alliance

[Project Publications](#)

[Media Recognition](#)

[References](#)

Acknowledgments

This research was sponsored by the U.S. Department of Energy (DOE), Office of Building Technology, State and Community Programs - Energy Efficient Industrialized Housing Program. We appreciate the encouragement and support of our Program Manager, Mr. George James.

The DOE funding was received as a subcontract from the University of Oregon (UO253368C).

We are grateful to our collaborators - Palm Harbor Homes, Habitat for Humanity, American Lung Association affiliates, Structural Insulated Panel Association, homeowners, and others who made this work possible.

The Lawrence Berkeley National Laboratory (Mr. Al Hodgson) performed the analysis of the gas samples to determine the volatile organic compound levels.

Introduction and Summary

The objectives of this work are to increase the market share of energy-efficient housing by conducting field testing and monitoring, research, development, design assistance, and training activities in partnership with housing manufacturers, production builders, non-profits and related members of the housing industry.

With FY98 funding, activities were conducted under five tasks. The progress in each task is summarized below:



Task1. Energy-Efficient and Healthy Houses: Testing was completed on three side-by-side entry-level homes of identical floor plan in central Florida. All three homes were Energy Star homes. The home on the right is made of concrete blocks and served as the base case. The middle home is made of autoclaved aerated concrete (AAC) blocks and incorporated features to improve the indoor air quality (IAQ). The third home was made of 2x4 frame construction and incorporated features to improve the energy efficiency ([Figure 1](#)).


Testing over 10 months confirmed the energy savings (about 20% over base case in the cooling season, 40% if the base case had code minimum air conditioner) for the frame home and enhanced IAQ (50% reduction in volatile organic compound levels) for the AAC home. **Builder** magazine printed a six page article on this project in its July 1999 issue.

One year of monitoring was completed on the 1997 Orlando Health House®. Data showed that the four-ton heat pump successfully maintained the interior conditions of this 3,520 ft² home to 73°F as desired by the home owners during the hottest summer on record in Florida (1998). The dehumidification system was able to maintain carpet level average relative humidities below 52% for every month of the year and the asthmatic home owners are delighted with the comfort and air quality of the home.

A new program, Clean Air Florida Homes (CAFH), was initiated in cooperation with the American Lung Associations of central Florida and Florida (ALACF and ALAF). Technical assistance was provided for the first CAFH under construction in Gainesville, Florida. Technical assistance was also provided to the ALA of Washington to improve the IAQ of six units of low income housing in the New Holly Park project in Seattle, Washington (<http://www.alaw.org/newholly.html>). **Partners: Viking Builders, Affordable Housing Institute, American Lung Associations of Central Florida, Florida, Oregon and Washington.**

Task2. Whole-House Testing and Research: Conducted diagnostic testing and energy analysis on seven insulated concrete form (ICF) and conventional frame homes in the Dallas, Texas area. One show home for the NAHB national convention met Energy Star standards.


Conducted diagnostic tests and energy analysis on a structural insulated panel (SIP) house in New Harmony, Indiana and qualified it as an Energy Star home.



Conducted diagnostic tests and suggested modifications in two homes experiencing severe moisture problems in Florida (a site-built home) and Louisiana (a manufactured home). See [Figure 2](#) for an infrared image. **Centex homes, Texas Utilities, Masco, Palm Harbor Homes.**

Task3. Innovative Building Components Development: Patented and commercialized the FanRecycler™, a control device to improve mixing and ventilation in homes. Over 1,200 units were in use in FY97, many in Building America homes. Patented innovative wood-steel framing members (with 34% better thermal performance and equal structural

performance compared to steel-stud walls). Initiated the development of a connector for easily attaching SIP roof panels to wall panels. See [Figure 3](#) for an example. **Partners: Triad Research, Inc. and Lipidex Corporation.**





Homes (CAFH), providing technical assistance for building in a hot, humid climate. The first CAFH currently under construction in Gainesville, Florida ([Figure 7](#)).



Entry Level Housing

Introduction

Homes of 1200 square feet or smaller make up 8-10% of U.S. housing start. (Census, 1997) Characterized by high

occupant density, these homes accrue energy expenses that rival mortgage payments. Responding to consumer demand for lower operating costs, builders have typically reduced infiltration (tightened) and increased insulation. These efforts have netted homeowners both lower utility costs and more comfortable living conditions. However, consumer confidence in these strategies has been eroded by implications that very tight homes have poor indoor air quality.

To demonstrate both energy efficiency and healthy construction in the entry level housing market, FSEC partnered with a Central Florida contractor to design and build three 1,228 ft² ([Figure 8](#)) homes. All three homes qualify for the Energy Star designation. One has extra energy features and another has indoor air quality features. FSEC conducted testing to evaluate several indoor air quality parameters as well as monitoring the energy use of the homes before occupancy.

After completion in August of 1998, the three houses sold immediately illustrating the high market potential of super efficient entry level housing.

Characteristics of the Homes ([Table 1](#))

The three neighboring homes, built with identical floor plans ([Figure 9](#)) and slightly different roof lines, have similar solar heat gain characteristics and conventional regional characteristics such as slab on grade foundations. Several improvements on conventional practice were incorporated into all three homes to bring them up to Energy Star status. Extensive sealing of both the duct system ([Figure 10](#)) and penetrations in the air barrier ([Figure 11](#)) reduce cooling loads. The air conditioning are all high-efficiency (SEER 12, HSPF 7.5) heat pumps. To minimize the impact of return side leaks, the air handler is located inside the conditioned space ([Figure 12](#)).




Each of the three homes features a different structural system ([Figure 13](#)) to illustrate that energy efficiency can be achieved in this market with conventional materials (concrete block and wood frame) as well as with innovative systems such as autoclaved aerated concrete blocks (AAC). Though this dissimilarity demanded different types and levels of wall insulation, all three homes scored above 86 on the Home Energy Rating System (HERS) scale, the Energy Star Homes threshold.



The wood frame home incorporates an attic radiant barrier ([Figure 14](#)) and high performance windows for additional energy saving features. These features reduce two of the largest air conditioning loads in Central Florida homes: radiant heat gain via the roof and windows.



The AAC home showcases a variety of low VOC (volatile organic compound) building materials and a fresh air ventilation system ([Table 1](#)). For example, the low emission carpet (100% nylon) carries the Carpet and Rug Institute's Green Seal. The fresh air ventilation system draws outside air into the air handler's return plenum through a dedicated duct.



Thus, ventilation air is being introduced from a known source through a designed air flow path. Planned ventilation provides much cleaner air than unplanned infiltration. Fresh air isn't pulled through unintentional cracks in the building envelope where it can pick up small particles of building materials, various gases from combustion appliances or chemicals in building materials. Consequently, building cavities (like walls) aren't exposed to unconditioned air and damaging humidity. Another ventilation feature of the AAC house, the FanRecycler, ([Figure 15](#)) circulates indoor air through the duct system by switching the air handler fan on even if the conditioning system isn't operating. This improves indoor air quality by dissipating high concentrations of humidity and providing fresh outdoor air even during hours when neither air conditioning nor heating is called for. During these periods, slow wind speed, lack of cross ventilation, closed interior doors and closed windows (for security) hinder natural ventilation. Closed interior doors can also impede




proper conditioning by restricting flow of return air from private rooms. This creates infiltration induced by pressure imbalances subsequently placing greater loads on the conditioning system. To overcome this, through the wall registers above bedroom doors allow free air flow bringing the conditioned space back into pressure balance.

Post Construction Evaluation


After carefully monitoring the construction process, FSEC conducted a standard battery of tests to evaluate several energy and indoor air quality performance indicators. Two measurements, whole house and duct air tightness, are used in the Energy Star rating process. Results from these tests, the final Energy Star ratings, measured natural ventilation rates (SF_6 tracer gas decay method) and concentrations of volatile organic compounds (VOCs) including formaldehyde, are summarized in [Table 2](#).

Air Conditioning Energy Use

FSEC requested and received permission from the new homeowners to monitor the energy use in all three homes. Since the homes were not occupied immediately, FSEC researchers were able to monitor air conditioning energy use for one month under carefully controlled operation. During this period, the Frame House consumed about 20% less energy than the AAC house and the Block House ([Figure 16](#)). This supports the higher rating, or predicted energy performance, of the Frame House with its important extra energy features. In the AAC house, the energy used by the mechanical ventilation system offset some of the energy savings from the double pane windows and higher R-value wall. Note that if the Frame and AAC houses were compared to a conventional block house with a lower, standard efficiency air conditioner, they would likely have saved 40% and 20% respectively. These figures bear great potential for the entry level housing market.




Monitoring of energy use under occupant controlled conditioned commenced on October 1, 1998 in the Frame and Block Houses and on November 1, 1998 in the AAC House and continued until June of 1999 for a total of ten months of data. The occupant of the Block House and the three occupants of the Frame House were usually away from home during the day. While at least one of the six AAC House occupants was usually home.



During the Winter portion of the occupied monitoring period ([Figure 17](#)), the Frame house continued to consume less energy than the Block house, even though the Frame home was kept warmer.

During the Summer portion of the occupied monitoring period ([Figure 18](#)), the differing internal heat gain load (6 occupants) results in higher consumption in the AAC house. Note that, compared to the Block house, the frame house continued to consume less energy despite



a higher occupancy load.

In summary, the Frame house consumed 19.7% less energy than the AAC house and 20.8% less energy than the Block house during the unoccupied monitoring period of September 1998. During the occupied period of June 1999, the Frame house consumed 30.1% less energy than the AAC house and 22.5% less energy than the Block house.

Economics

The additional cost of the high efficiency air conditioners (20% better than standard efficiency) was about \$300. This element has very attractive, highly marketable appeal and payback. Actual costs for the upgrades in the Frame House exceeded \$2,000. Maximum possible savings due to these items is estimated to be about \$72/year, assuming an electric rate of \$0.08/kWh, resulting in a payback period of close to 35 years. Research is needed to develop more cost- effective envelope improvement strategies.

The indoor air quality improvements in the AAC House totaled about \$2,000. While the qualitative nature of these improvements makes calculating a payback impossible, medical savings are a possible avenue for recouping this type of investment. Though a larger sample of families would be needed to assess potential savings, the homeowner in the AAC House reports that her son requires much less allergy medication since moving into the house.

Anecdotal evidence suggests this would be a valid avenue for further research and one in tune with home buyer interest. While a survey of 80,000 households by Contracting Business Magazine found that 46.6% of respondents cited energy cost as the first concern when purchasing a conditioning system (ACCA, 1999.) 33.8% cited indoor air quality as the improvement they most wanted. 54.8% of the group said that if they were purchasing a new home, that air [quality] features, such as those in the AAC House, would be purchased.

1997 Orlando Health House®



The 1997 Orlando Health House® ([Figure 19](#)) was built by Sunscape homes in partnership with the American Lung Association of Central Florida and FSEC. The design goals for the house were based upon four organizing principles:

Minimize dust and pollens inside the house.

Control indoor humidity year round to 50% (RH) or lower.

Choose products to minimize the emissions of volatile organic compounds (VOC).

Use energy-efficient design, components, and mechanical systems.

FSEC generated technical specifications for the house and performed a plan review to assure compliance with the stated design goals. FSEC designed the overall heating, ventilation and air conditioning (HVAC) system and provided the patented FanRecycler®, a device to improve the indoor air quality. FSEC suggested sources for products and acquired several product donations.

During construction, FSEC personnel made weekly visits to aid the builder and try to forestall any problems or design failures. After the HVAC duct system was installed, but prior to drywall hanging, a site visit was made to test the duct system integrity. When the building was completed FSEC conducted a building envelope test and a duct system test to insure that the design goals were met. Temperature and humidity monitoring equipment was placed in the house to monitor the interior temperature and humidity at the carpet level, the attic temperature and humidity.

Specific features in the 1997 Orlando Health House used to meet the design goals are:

Foundation Moisture Control (Figure 20)

The house uses foam sealing for all vapor barrier penetrations to reduce moisture seepage from the ground.



Insulation ([Figure 21](#) and [Figure 22](#))

A spray foam insulation was applied in frame walls, kneewalls, and most innovatively, under the roof deck. This resulted in a completely sealed and semi-conditioned attic space (contrasted to vented attic spaces which are hot and harbor dust and moisture).



The entire Health House performs like a bubble, protecting the occupants and their belongings from the intense Florida heat, humidity, dust, and pollen.

Tile Roof

Concrete barrel-tile roofing gives the Health House both beauty and energy efficiency. The tiles significantly reduce attic temperature. The high-profile shape of the tiles allows for good venting under the tile, significantly reducing attic temperature. Their large mass allows them to absorb significant amounts of heat. The mass absorbs and desorbs large amounts of moisture in a diurnal cycle that further abates the heat load in the attic.

Aerated Autoclaved Concrete (AAC)

A lightweight, energy efficient material with exceptional workability, allowing it to be cut and shaped like wood. Additionally, it is fire and termite resistant. The walls were made of AAC blocks.

Zoned Heat Pump System

The house features a heat pump with a zoned conditioning system to provide greater comfort and enhance energy efficiency by eliminating usage in unneeded zones. The four-ton air conditioning load on this 3,520ft² house is much lower than the approximate seven-ton load of a comparably sized conventional home without energy features.

Whole House Dehumidifier/Ventilator and Air Filter



A high efficiency dehumidifier ([Figure 23](#)), provides excellent indoor air quality. This device ventilates and dehumidifies the home. This aids in the prevention of dust mite infestations, as well as inhibiting mold, mildew, and bacteria growth. The air filter is a 7" thick, high efficiency filter ([Figure 24](#)) which removes airborne particles down to one micron in size. It needs to be changed only once or twice each year. The result is a home full of clean, dry, fresh air.

Air Handler in Conditioned Space



The air handler and dehumidifier were located in the conditioned space for energy efficiency and improved indoor air quality.

Ducts

Tight ducts are essential to the integrity of the Health House. Ducts are made tight by using mesh and mastic joints (Figure 25). The return ducts are made of sheet metal for ease of cleaning. The supply ducts were insulated flexduct.

Solar Water Heater ([Figure 26](#))

The abundant sunshine in Florida makes solar water heating a cost-effective choice for residents. The Health House solar system utilizes the sun's energy to significantly reduce utility costs for water heating.



Reduced VOC Emissions,

Interior paints containing no VOCs, tile floors, 100% Nylon Rugs that feature the Carpet and Rug Institute's (CRI) "Green Seal", and solid wood cabinets with no particleboard all reduced or eliminated common indoor sources of pollutants.

Sealed Combustion Fireplace ([Figure 27](#))

Sealed combustion gas fireplaces function independently of the interior air eliminating the threat of harmful gasses entering the house. They have their own combustion air supply, make up air supply, and exhaust system so they do not create pressure imbalances inside the home.



Double-Pane low-E Windows form a heat-rejecting shield against Florida's intense solar gains.



A Central Vacuum System ([Figure 28](#) and [Figure 29](#)) that exhausts to the outside was used to maintain the home free of dust and dust mite allergens.

After completion, FSEC personnel tested the building envelope and duct system integrity with a blower door and duct blaster. Blower door testing establishes a leakage rate for the house at a specific pressure (air changes per hour at 50 pascals or ACH50). Duct blaster testing yields the leakage rate of the duct system in a similar manner (cubic feet per minute of air leakage at 25 pascals or CFM25).




Envelope testing of the house revealed a low ACH50 of 2.2, extremely tight. The innovative application of spray foam insulation to the roof deck combined with an airtight stucco wall produced this result. A

further advantage of this construction system is that all of the duct work above the ceiling is now in the conditioned space, meaning that any duct leakage is to the inside of the thermal boundary.


After testing, the results were input into the Florida Energy Gauge software to determine the Energy Performance Index (EPI) using Florida's Energy Code and the Energy Star Rating using the Home Energy Rating System (HERS). The house received an EPI score of 52.6. This score is far superior to the maximum allowable score of 100. The HERS score of 89.6 is not only high enough to receive an Energy Star designation but is significantly greater than the 86 required to achieve Energy Star status.

In addition to the airtightness testing and the energy efficiency analysis, FSEC compiled a year's worth of temperature and relative humidity data measured in the attic and at the carpet level inside the house.



The dehumidifier proved effective. The average house relative humidity was always close to or lower than 50% ([Figure 30](#)), the goal laid out in the organizing principles. The monthly temperature averages show that the HVAC system kept the house at a comfortable temperature and conditioned the attic as well ([Figure 31](#)).

New Holly Park



In 1997, the American Lung Association of Washington (ALAW) partnered with the Seattle Housing Authority (SHA) to design and build several units in their Holly Park Redevelopment project as Healthy Houses. This effort was prompted by ALAW's Washington State Asthma Project 1998, Task Force on Asthma and Allergies in Communities with Increased Prevalence.

The Task Force's literature review concluded that increased health risk appeared to be associated with being a child, being atopic (allergic), being exposed to pollutants or allergens, and being poor and/or an ethnic minority. Reports from the Seattle-King County Department of Public Health determined that in King County between 1987-89 and 1994-96 hospitalization of children due to asthma attacks increased 25% in neighborhoods with the greatest poverty, 33% in medium poverty neighborhoods, and 18% in low poverty areas. Further, in 1994-96, the rate of hospitalization in high poverty areas was 1.5 times greater than the rate for medium poverty neighborhoods and three times that of residents in low poverty neighborhoods. Based on these conclusions, ALAW decided to ask the SHA to participate in the healthy redevelopment of the Holly Park neighborhood, feeling that this was a significant step to aid as many potential and present victims of asthma as possible.



Due to the dramatic increase of asthma in poor and/or ethnic children, the residential child care facilities of the redevelopment were targeted as Healthy House sites. In the redevelopment, six of the 450 new homes were designated as home-based day care facilities ([Figure 32](#)). These were five-bedroom duplexes. Children spend an average of ten hours per day in these facilities and day care professionals may also have the opportunity to encourage further attention to other factors in the child's environment that may trigger or exacerbate the symptoms of asthma.

After a successful partnership during their first Healthy House project, ALAW again contacted FSEC for assistance in approaching SHA. FSEC's technical expertise proved significant in persuading the SHA of the need for healthy housing and the ALAW's ability to facilitate the project. After the decision was made to proceed with the project, FSEC was involved with the design, review, and implementation of the healthy features, interfacing with the ALAW, SHA, the architect, and the builder.

The ALA of Washington is incorporating Healthy House techniques and components into each child care unit to ensure enhanced indoor air quality. Healthy House modifications were found to be cost-effective alternatives for the entire New Holly effort and were, in fact, incorporated into all the homes in Phase I. These features include:

Construction of a continuous air barrier to reduce air infiltration. By carefully sealing the floors, walls, ceilings, doors, and windows, an airtight envelope was created to provide draft-free, energy-efficient housing with few paths for uncontrolled air flow.

Installation of variable-speed kitchen exhaust fans to remove moisture, oils, and to improve air circulation.

Selection of low-weave, 100% nylon carpets to reduce VOC emissions. All the carpets were laid with tack strips, and used a low-VOC, recycled fiber underpad.

Use of non-toxic adhesives and finishes along with low-VOC, water-based paints to minimize chemical exposure.

In December 1998, FSEC researchers visited Seattle to test the first child care unit for airtightness and pressure differentials. This was important because it indicated whether combustion gases would enter the living space or not. The testing also determined whether there was adequate ventilation and air circulation in the house.

The testing showed that the Healthy House child care unit performed significantly better than the unmodified units (which were tested by Seattle City Light). The sealed room which contained the gas water

heater was aerodynamically uncoupled from the living space, reducing the possibility of backdrafting combustion gases. This was true even when all the exhaust fans (the continuously operating fan as well as the bathroom and kitchen ones) were turned on.

Upon testing, some additional recommendations were made:

Move the continuously operated whole-house exhaust fan from the bathroom to the hallway for improved ventilation of the whole house..

Move the CO detector to the ceiling just outside the door to the sealed room containing the gas water heater.

Along with the Healthy House enhancements to the child care units, the American Lung Association of Washington has begun educational outreach in the Now Holly Community by offering free indoor air quality workshops through the Holly Park Family Center. These workshops offer low- and no-cost ways to improve and maintain the indoor environment. More information is available on the web at <http://www.alaw.org/newholly.html>.

Task 2. Whole House Testing and Research

The objective of this task was to partner with builders to conduct diagnostic tests and Energy Star Ratings of their conventional and energy efficient homes. Projects with the following builders were completed and are included in this report.

Centex Homes - Dallas, TX

Centex Homes - Sarasota, FL

Nationwide Modular Homes - Raleigh, NC

Red Geranium - New Harmony, IN

This task also assisted in solving moisture and soot problems in newly constructed homes. Diagnostic tests were conducted and reports are available on the following three homes. The recommendations were implemented by the builders with excellent results.

D.W.Hutson - Problem home (soot) in Jacksonville, FL

Palm Harbor Homes - Problem home (mold) in Prairiville , LA

Pralle Builders + MASCO - Problem home (mold) in Ormond Beach, FL

Centex Homes - Dallas, TX



Centex Homes, in collaboration with the Portland Cement Association, is evaluating the costs and benefits of insulated concrete form (ICF) construction. Over a dozen ICF and conventional (2x4 frame) homes ([Figure 33](#)) in the Dallas-metro area are involved in this study, a collaboration of Centex, FSEC, and Texas Utilities.

Field Testing Procedures

Field testing results for five ICF homes and two wood frame homes are presented in [Table 3](#). House air tightness was measured by a computerized blower door,

depressurizing the houses. Total duct air tightness was measured by depressurizing the ducts to -25Pa with a duct blaster after removing all the air filters. The -25Pa was measured at the return air grill where the duct blaster was connected. Duct leakage to outside was measured by maintaining a house pressure of -25Pa with the blower door and bringing the duct to house pressure to zero with the duct blaster. CFM50 is the combined house and duct system leakage as measured by the blower door when depressurizing the houses to -50 pascals. Additional blower door tests were done by masking off the fireplace and the exhaust fans and the recessed ceiling lights to quantify their air leakage. The results showed the following CFM50 air leakage values for components in the concrete concepts house (the fifth house in [Table 3](#)).

Fireplace=358 CFM50

Four bath and laundry exhaust fans total = 385 CFM50

13 can lights (12 to the attic) total = 185 CFM50

Kitchen exhaust = 14 CFM50 (indicating a good back draft damper).

Except for the fourth house, the air tightness of all houses was less than 6.0 ACH50, the average leakage measured in a large sample of new Florida homes.

Mechanical and Air Distribution Systems

The duct system consisted of flexduct supply and return runs to attic mounted air handlers. Mastic was not used to seal the joints. The typical duct-to-collar connection consisted of a single strap around the inner liner and another one around the outer liner. The two-story houses have two duct systems and two air handlers. The Concrete Concepts (CC) home (fifth column) had three duct systems and three air handlers. The leakage was measured for each duct system. The total is reported in [Table 3](#). The total leakage was measured at -25 pascals and is also reported as a percentage of the floor area. The duct leakage of concern in terms of energy waste is the duct leakage to outside. This is also reported as a percentage of the floor area.

The average duct leakage in Florida homes is about 8% (leakage to the outside as a % of floor area). Except for the CC home, the ICF homes all had a leakage lower than that. The duct leakage in the conventional homes were greater than the 8% number.

[Table 3](#) also documents two other parameters related to whole-house performance: the presence or absence of a radiant barrier in the attic (Solarboard) and the number of recessed can lights exposed to the attic.

Thermal Envelope

All houses were slab on grade with R-30 ceiling insulation. The windows were all double pane clear with an aluminum frame (NFRC U=0.81). The ICF walls are R-20 and the conventional frame walls have an R-11 insulation.

Mechanical Equipment

All houses have a programmable thermostat. Except for the CC home, all houses have a dual fuel system with SEER 12, HSPF 7.5 heat pumps and a 80% AFUE gas furnace. Thus, two Energy Star ratings are presented for each home, one for the gas heating system and the other for the heat pump. The CC home has only one rating as it does not have a heat pump.

Researchers plan to monitor energy use, temperature, and RH in at least two pairs of these homes. However, due to circumstances beyond FSEC control, the instrumentation has not yet been completed.

Recommendations

The duct system leakage is high and should be reduced by using mastic and fabglass to create an essentially leak free duct system.

Better quality bath exhaust fans (with better backdraft dampers) and air tight recessed can lights are recommended to reduce envelope leakage.

These measures will afford the opportunity to reduce the tonnage of the air-conditioning equipment, probably paying for the cost of the recommended improvements and making the houses more energy efficient and healthy.

The Sarasota division of Centex homes contacted FSEC to conduct evaluation of their base case homes. In August 1999, the first set of diagnostic tests were conducted.

Two model homes under construction in the Tatum Ridge development were inspected. The homes were 1,935 ft² and 2,568 ft², and were dried-in, with the duct work rough-in completed. The duct systems were constructed out of flex duct and sheet metal junction boxes. The collars for the flex duct were tabbed, screwed, and bedded in mastic where attached to the sheet metal junctions. Flex duct to collar connections were made with straps and tape. The smaller home used a single large ducted return, while the larger house had a return system, with many ducts. As the ducts were only roughed-in, minimal testing was possible. Both supply systems showed a total CFM25 of 37. This is without the air handler. These numbers indicate a very tight duct system at this point.

As a side note, Centex personnel showed a block wall attic insulation baffle installation mandated by Manatee County code that was very poor. They mandate the installation of a baffle on a block wall that creates an air path to the interior drywall. This could cause damage if vinyl wall paper was installed on an exterior wall. If the baffle was installed as instructed by the manufacturer, all would be well.

Nationwide Modular Homes - Raleigh, NC

The purpose of this activity was to conduct house air tightness testing of two modular homes using different air sealing techniques at the marriage wall but otherwise identical.

Two new, unoccupied modular homes manufactured by Nationwide Homes were tested. Both homes were of identical floor plan: a three-bedroom, two-bath, 1,440 ft² model called Southport II. These were single-story, two-section homes joined at the marriage line by two different techniques. One home was sealed by an expanding foam sealant at the marriage line after the sections were set, and the other by a P shaped foam gasket with a 1.38" diameter bulb and a stapling flange attached at the factory.

House airtightness was measured by a calibrated blower door using an automated controller to conduct multiple point tests. The results are tabulated in [Table 4](#).

Table 4

The test results indicate that the house with the expanding foam seal was significantly tighter than the other house. Inspections under the house in the crawlspace revealed that foam sealant was thoroughly applied. The house with the "P" gasket had some areas where the gasket was permanently crushed and did not fully recover. In the attic, the gasket did not fully fill the marriage wall gap for about 20% to 25% of the length. Under the house, the gasket fell from the wall gap in some places and was manually pushed back in. A retest showed that this eliminated about 40 CFM50 in air leakage. The house with the "P" gasket had air ducts which were better sealed with mastic at the return. The carpets, carpet pad, and baseboard trim were not installed at time of testing; however, smoke tests did not reveal significant air leaks at these sites.


In conclusion we found that the house with the "P" gasket had more air leakage than the other house sealed with site applied expanding foam. For comparison, the ACH50 numbers for these houses (5.85 and 7.58) were both tighter than the average tightness of 7.8 ACH50 measured for 20 recently built manufactured homes in North Carolina. A more flexible and perhaps larger gasket which is nailed in with large-head nails may improve the air tightness further.

Red Geranium - New Harmony, IN


Red Geranium Enterprises, under the leadership of Mrs. Jane B. Owen, financed the construction of the New Harmony House. The house was designed by Mr. Roger Rasbach and built by Jeffrey A. Koester Construction Co. in the summer of 1998. The 1,080 ft², slab-on-grade house is built with structural insulated panel (SIP) walls and roof. It features vaulted ceilings with the air and thermal barrier at the roof line. The air handler unit and the duct work are both located in an attic space within the air and thermal boundary. The house features low-E windows, low-e interior paint, and a detached garage. A high efficiency heat pump and a direct vent gas fireplace provide heating and cooling. The house also features recycled roofing shingles, recycled decking, and other resource efficient materials. It is an Energy Star home with an FSEC calculated rating of 87.4.

Blower door tests and infra red scans were done to identify potential thermal shorts. House airtightness was measured by a computerized blower door, depressurizing the house. Since the ducts are in the conditioned space, the duct leakage to outside is zero. The total duct leakage could not be measured as one of the larger returns could not be taped, being partially blocked by a built in desk.

The blower door results indicated a very tight house. The measured leakage at 50 pascals was only 437 cfm which translates to an air change rate of 2.4 at 50 pascals (2.4 ACH50). This is much lower than the average air change rate of 6 ACH50 found in new Florida homes. In fact, this is lowest air change rate we have measured to date in terms of absolute cfm of leakage in a house.



Infrared scans confirmed the low air leakage. While there were a few cold spots (e.g. near the floor behind the kitchen cabinets, at the intersection of windows and walls, wall corners, panel joints at gable ends etc.) as to be expected in any construction, the size of the cold spots did not increase when the house was depressurized. Infrared images show a very tight joint at the corner of the bedroom before depressurizing ([Figure 34](#)), and after five minutes at -50 pascals



([Figure 35](#)). These infrared images indicate a small thermal short (the blue and green areas) which did not grow substantially after the house was depressurized.

Recommendations

The duct system was assembled without any mastic. In this house, the ducts are within the thermal boundary so there is no energy loss due to duct leakage. However, in general, for duct systems in unconditioned attics or crawl spaces, we highly recommend sealing the ducts with mastic and fabglass to assure an air tight air delivery system.

The annual air change rate for this house under normal weather conditions is estimated to be only 20 CFM. Supplementary mechanical ventilation is essential in this house if it is to be lived in. Mr. Koester was well aware of this and pointed out that except for occasional guests, the house will remain unoccupied as a demonstration house.

Task3. Innovative Building Components Development

Development and commercialization efforts continued on two series of components:

The FanRecycler® line of controllers to improve indoor air mixing and ventilation
Metal-wood framing members

FanRecycler

In 1992, Armin Rudd of FSEC conceived of a fan control that would work with any central heating and cooling system by automatically activating the central air handler fan if it had been inactive for a period of time. This achieves effective and economical air mixing and/or ventilation air distribution using the existing central fan and ducts without continuous or redundant fan operation. U.S. Patent 5,547,017 was issued for the system in August 1996. In April 1997, contracts were made with two licensees. U.S. Trademark 2,233,686 was registered in March 1999.



First commercially applied at the Prairie Crossing, Grayslake, Illinois development as part of the Building America Program, FanRecycler ([Figure 36](#)) is now a key component in central-fan-integrated ventilation systems in homes throughout the U.S. and Canada. More than 1,200 FanRecycler units are currently in use and it is available commercially from Shelter Supply, Inc. (Lakeville, MN).

A second innovative control added the ability to control an outside air damper, so only the design ventilation air flow is delivered regardless of how long the central system fan operates by thermostat demand. In March 1999, U.S. Patent 5,881,806 was issued for this second control and a prototype was constructed by Lipidex Corp (Duxbury, MA)

Metal-Wood Framing Members

For residential and some light commercial construction, solid wood timber is the primary framing material. However, large timber for lumber is becoming more scarce, the quality is declining, and the cost is volatile and generally increasing. Alternatively, the availability of steel is high, the quality is consistent, and partly due to recycling and new manufacturing technology, the cost of steel is on a stable or downward trend. Consequently, use of steel framing in residential and light commercial construction is increasing,

and according to several studies cited by Random Lengths, the rate at which lumber is being used in new homes has been declining for a decade.

According to the National Association of Homebuilders (NAHB), lumber prices have increased dramatically in the past decade, making new homes less affordable. The American Iron and Steel Institute (AISI) and the NAHB Research Center state that the cost of lumber has exceeded the breakeven point between wood and steel framing many times in recent years, by as much as 40%. In a 1994 survey of 561 builders, 64% considered lumber price and availability to be the most significant issue facing them. Eleven percent were already using steel framing and 34% planned to use it.


In 1998, the AISI established the North American Steel Framing Alliance with a specific goal to rapidly accelerate the use of light gauge steel framing in residential construction. The National Manufactured Housing Alliance has convened a Steel Framing Committee to examine the viability of using steel framing for manufactured homes.

The major energy disadvantage of steel framing, relative to wood framing, is the higher thermal conductivity of steel. Unless expensive insulated sheathing is used, increased energy consumption for space.

conditioning will result. A readily observable dust marking or "ghosting" may develop on the interior finish material showing the outline of the colder framing member behind. Another drawback is the increased potential for moisture condensation both in the framed cavity and on the surface of the interior finish material.

Metal and wood composite framing members can be used in place of conventional wood framing members such as: 2x4 and 2x6 wall studs, and 2x8, 2x10, 2x12 and other dimensions of roof rafters, floor joists, and headers. They can be used to replace similar sizes of conventional light-gauge steel framing to reduce thermal transmittance and sound transmission. Metal is utilized for its high strength, consistent quality, cost stability, potentially lower cost through recycling, and resistance to rot, fire, and insects. Wood is used

primarily for its lower thermal conductivity, and common availability. The metal components form the primary structure while wood provides some structure and a thermal break.



Armin Rudd while at FSEC patented four such configurations of metal and wood composite framing members. These U.S. Patents were granted in March, 1999 and are numbered 5,875,603; 5,875,604; 5,875,605; and 5,881,529. These innovative building technologies are at the beginning stages of development for market readiness. In a nutshell, these framing members bridge the gap between steel and wood framing by utilizing the individual strengths of each material. Steel is strong, straight, and has a stable price, while wood resists heat transfer and is more available, easily machinable, and renewable.

The invention ([Figure 37](#)) connects J-shaped or triangular shaped metal forms to wood sections. The metal flange ends can have various J, C, L, right triangular, triangular, T and straight line cross-sectional shapes. The wood is fastened to the metal by machine pressing the metal to the wood. Alternatively, mechanical fasteners such as nails, staples or screws can be used. Adhesives provide a third fastening option. The outward faces of the metal members are pre-formed with four longitudinal ridges such that the contact surface area between structure and sheathing is reduced by about 90%.

Based on thermal testing conducted at the Oak Ridge National Laboratory (refer to http://www.ornl.gov/roofs+walls/whole_wall/wallsys.html), Johns Manville Technical Center, and structural testing at the Celotex Technical Center, the metal-wood stud performs thermally much like conventional wood framing (Figure 38) but has superior strength characteristics equivalent to steel framing.

Task 4. Residential Design Assistance Center (Habitat for Humanity).

The Residential Design Assistance Task works primarily with affordable housing providers, most notably Habitat for Humanity International and its domestic affiliates. The research and outreach activities center around two objectives:

1. Establish energy efficiency as fundamental to housing affordability, and 2. Encourage long term change.

Habitat for Humanity echoes the first objective in its own words, "Affordable housing should be affordable to buy as well as affordable to operate." FSEC functions as a major resource to both Habitat

International and Habitat's energy and environmental champions, the Green Team, whose members work individually with their local affiliates to promote sustainable change.

FSEC provides four major types of support:

- Design Reviews
- Construction Site Hands-On Training
- Training Workshops and Seminars
- Field Evaluation of Energy Conservation Concepts

Design Reviews

FSEC recommendations focus on design phase issues such as material, assembly, and system specifications. Providing feedback on the effectiveness of various energy upgrades based on field research, simulation analysis, and/or Home Energy Rating System (HERS) analysis. Since 1995, FSEC recommendations have been incorporated into over 400 energy improved Habitat homes throughout the country.

Habitat's Goal

150 of those 400 homes qualify for the Energy Star designation, a challenge issue in 1998 by Habitat Green Team Leaders. Many of those Energy Stars were built by the well-established, larger affiliates among Habitat's top 20, each of whom built more than 20 houses in 1998. Because these affiliates tend to work from standardized plans and established building procedures, FSEC has found them more capable of smoothly implementing and sustaining energy changes. This supports FSEC's objective of fostering long term change as well as Habitat's goal of reaching Energy Star.

During the past year, FSEC has consulted with seven of the Top 20 affiliates. Having already taken the first step toward Energy Star with FSEC, many will meet the Energy Star challenge within a year.

Not neglecting the smaller affiliates, FSEC has been working with Habitat International to develop Energy Star Guidelines for several climates based on typical Habitat construction. These Builder Option Packages (BOPs) provide guidance for a much broader audience than feasible through individual design assistance, extending DOE's influence exponentially. BOPs will be integrated with fact sheets currently being developed by a number of Habitat supporters such as Oak Ridge National Laboratory, Southface Energy Institute, and the NAHB Research Center.

Construction Site Hands-On Training



Habitat for Humanity regularly conducts high profile, blitz builds to attract media attention. At blitz builds one or more houses are built in as little as a few hours or as long as several weeks. At blitz builds, a focused group of active volunteers from hundreds of different communities ([Figure 39](#)) get comprehensive, real-world energy construction training from FSEC and other Habitat supporters ([Figure 40](#)). The



depth and intensity of this training would be difficult to duplicate with traditional training approaches or by working with individual communities at the normal pace of construction. Blitz builds also bring energy issues to the media as evidenced by coverage of the 1998 blitz build by New York's Westminster HFH affiliate ([Figure 41](#)) which was covered by CBS This Morning and Bob Vila's Home Again series. FSEC staff was invited to discuss energy testing for the show, set to air in the winter of 1999.

Evaluations from the 1998 Jimmy Carter Work Project (JCWP)

FSEC surveyed Energy Monitors and construction volunteers involved in the 1998 JCWP. Results ([Figure 42](#)) reveal that 83% of respondents felt they learned something about energy efficiency, 78% rated the energy program "Above Average" or "Excellent," and perhaps most importantly, 70% indicated that they volunteer with their local affiliate. This again suggests that DOE's influence extends from the actual

DOE sponsored activity into many communities throughout the country.



Design assistance to the Sumpter County-Americus affiliate (Habitat's headquarter affiliate) began with site planning in 1995. FSEC subcontractor, Bruce McKendry of WattsRight, participated in a one-week blitz build held by the Sumpter County affiliate teaching volunteers air sealing ([Figure 43](#)) and insulating procedures. At the end of the week blower door and duct blaster testing provided concrete evidence of the good work that the volunteers did.

Testing serves to validate the approach and encourage volunteers to implement what they have learned at their home affiliate.



Training Workshops and Seminars

FSEC has found that workshops conducted in conjunction with other Habitat functions or promoted by Habitat International draw larger Habitat attendance than those conducted at Energy related conferences or as stand alone events. This year, FSEC participated in three major Habitat training events:

Habitat's Southeastern Regional Conference

Habitat Green Team Leadership Training, and Energy Efficiency for Affordable Housing, one-day workshop at FSEC promoted by Habitat International

Southeastern Habitat for Humanity Conference. Jacksonville FL, October 1998

One 1.5 hour seminar presented energy efficiency basics to a group of about 40 Habitat decision-makers, such as Construction Managers, Executive Directors, and Building Committee Chairpersons. A second 1.5 hour seminar presented more advanced energy and IAQ concepts to a similar size audience. Attendees represented affiliates in Florida, Georgia, and South Carolina. Full scale framing, insulation, and air sealing details were built and displayed.

Green Team Leadership Training in Chicago at Affordable Comfort '99, April 1999



A full day of training for about 40 volunteers from all over the country. Conceptually, this core group of Green Team leaders will serve as regional contacts for Habitat affiliates who want to build more energy efficient and environmentally appropriate homes. FSEC provided training on the basics of air flow, the effects of duct leakage, how to conduct a duct blaster test, and how to calculate duct leakage ([Figure 44](#)). Mastic and mesh sealing was also introduced.

While FSEC staff serve as members of the Green Team leadership, FSEC plays a larger role as a resource for all the Green Team leaders as well as providing builder option packages discussed above and individual consultation to many affiliates not yet supported by a Green Team member.

Energy Efficiency for Affordable Housing

This one-day workshop held at FSEC at the request of Habitat International's Department of Construction and Environmental Resources (who also promoted it in a monthly newsletter) drew about 18 attendees from Florida. Focused on making concrete steps toward meeting Habitat's challenge of reaching Energy Star, workshop instructors demonstrated the use of Florida's code compliance and rating software, the Florida Energy Gauge, showing how different improvements impacted the HERS score. Energy improvement guidelines were also developed and distributed at this event.

Technical topics included air conditioning efficiency, window specifications, insulation, air sealing details, and duct system sealing. Attendees visited a local Habitat house where two instructors conducted a blower door and a duct blaster test ([Figure 45](#)).

The hands-on activity reinforced the day's emphasis on sealing duct systems with mesh and mastic (consistently one of the most cost-effective energy improvements revealed by ratings, simulation analysis, and field research). Working in pairs, participants sealed a flex duct collar to a duct board box and then a section of flex duct to the collar ([Figure 46](#)). The purpose of the activity was not to train volunteers to



build duct systems, but to give the participants a personal understanding of the process and what to look for in a high quality installation.

As might be expected, evaluations indicated the hands-on activity held the greatest value. Four affiliates have submitted plans in pursuit of the Energy Star goal.



Field Evaluation of Energy Conservation Concepts

Structural Insulated Panel Field Project

Most of Habitat's 1400+ American affiliates build wood frame houses. However, some affiliates are experimenting with other systems including straw bale construction, ICFs, and SIPs. Sumter County Habitat for Humanity, the original affiliate started by Habitat founder Millard Fuller, partnered with the Department of Energy and the Structural Insulated Panel Association (SIPA) to build two SIP houses in Plains, Georgia. This field project seeks validation of heating energy savings from SIPs.



The affiliate built the two SIP houses and a frame house on three neighboring lots. The Structural Insulated Panel Association (SIPA) provided some assistance with the SIP houses. The three houses were intentionally built with their calculated energy performance (HERS score) similar to each other as seen in [Table 5](#). The frame house ([Figure 47](#)) featured energy related details typical for the affiliate which resulted in an ACH50 of 5.3. With the home's whole-house fan cover installed the ACH dropped to 3.9, very good for frame construction. However, testing results revealed much better performance in the

SIP ([Figure 43](#)) houses with a measured ACH50 of 1.8. Though this indicates a 50% decrease in infiltration, that does not correlate directly into a 50% heating energy savings since infiltration determines only a portion of the total heating energy use. Other factors include insulation levels, conditioned square footage, window area, number of occupants, occupancy patterns, use of supplemental heaters, heater operation strategy, and indoor temperature. Monitoring equipment was installed to measure total, heating, and water heating energy use, as well as indoor and outdoor temperature ([Table 5](#)).

Table 5

A 1995 study of 10 Habitat homes in Florida City, Florida revealed that the maintained indoor air temperature heavily influences conditioning energy use (Parker, et al. 1995). Preliminary analysis suggests that

this may be a significant factor in the Sumter County study. The three houses' indoor average hourly temperatures and the outdoor average hourly temperature for December 1998 and January 1999 are illustrated in Figure 44. Note that the frame house (green) consistently maintained a higher indoor temperature than the SIP houses (red and blue). The impact of this considerable difference (average of 5F) is

accounted for in Figure 45 showing heating energy use (per 1,000 ft² of conditioned space) as it relates to the indoor-outdoor temperature difference. Though savings vary from day to day based on weather, considering the average indoor-outdoor temperature difference of 30oF, the SIP houses saved 25% compared to the frame house.

A previous study conducted in Louisville, Kentucky comparing SIP to frame construction found a 15% savings for the SIP construction (Rudd, 1997). In that study, the duct systems for both houses were located in conditioned spaces. The Plains SIP houses had ducts in the conditioned space while the frame house had ducts in the unconditioned attic. The 10% difference in the Plains and the Louisville findings are attributed to the differences in duct system locations. Together, these two studies suggests that homes of 1,200 ft² and smaller stand to gain significant energy performance from SIP construction with heating energy savings of 15-25% depending on duct location and average indoor-outdoor temperature differences.

Task 5. Manufactured Housing

The objective of this task was to work with manufacturers to produce energy-efficient manufactured homes and to research causes of, and potential solutions to moisture problems found in some manufactured homes. Manufactured housing is defined as HUD code housing. Two activities were conducted:

- Partnership with Palm Harbor Homes (PHH)
- Subcontract with the Manufactured Housing Research Alliance (MHRA)

Partnership with Palm Harbor Homes (PHH).

PHH (www.palmharbor.com) is a leading manufacturer of HUD-code homes with 16 factories in 8 states producing more than 10,000 homes annually. Five years ago, under the auspices of the EEIH program, FSEC began collaborating with the PHH factory in Plant City, Florida, (Figure 46) by conducting diagnostic tests and infrared camera inspection, and by offering building science advice. As a result PHH incorporated return air transfer ducts to minimize pressure imbalances in the conditioned space and incorporated a metal collar in the return air grill to reduce return air leakage. PHH also began offering a radiant barrier option in Texas homes.

With FSEC guidance, PHH Plant City produced the world's first two HUD-code Energy Star homes in 1997. The Energy Star homes had more-efficient heat pumps and a radiant barrier. Side-by-side tests show that the Energy Star model saves greater than 33% of cooling energy. Diagnostic tests revealed that duct leakage in these homes was reduced by an average of 66% compared with similar new PHH homes produced without airtight duct systems. This is expected to save, in Florida on average, 7% of the heating and cooling energy use. PHH now uses airtight duct construction (Figures 47 and 48) in four factories in Florida, North Carolina and Oregon, which produce more than 3,000 homes annually. FSEC personnel visited Florida, Oregon and Texas plants to conduct duct leakage tests and educate PHH plant personnel on benefits of air tight duct construction (energy savings, better comfort, reduced mold and moisture problems etc.)

It is important to note the magnitude of energy savings (and consequent pollution prevention and reduced global warming) from this air tight duct construction activity with Palm Harbor homes. Even if one assumes a savings of 5% per home, this results in 3,000 homes saving 5% or the equivalent of 300 homes saving 50% (the goal of the Building America program). These numbers are comparable to actual in field energy savings accomplished by leading Building America teams.

FSEC has also assisted in developing Energy Star packages for more than 50 PHH models manufactured in Alabama, Colorado, Florida, Kansas, North and South Carolina, Ohio, Oklahoma and Texas. To date, 18 homes in North Carolina have received Energy Star certificates, but about 70% of the homes built between January and August 1998 at the Siler City, NC, plant meet Energy Star standards. These 560 homes were sold by Energy Efficient Homes, a subsidiary of PHH, with a energy usage guarantee. Although these homes are estimated to meet Energy Star standards, they have not been field tested for verification.

Other PHH factories in Alabama, Ohio and Texas are interested in producing Energy Star homes and converting their factories to air tight duct construction.

Manufactured Housing Research Alliance (MHRA)

MHRA with co-funding from HUD and Manufactured Housing Institute, developed a preliminary guide entitled "Eliminating Moisture Problems in Manufactured Homes". This documents several case studies of moisture problems in manufactured housing and provides checklists for manufacturers, site installers and homeowners to avoid moisture problems.

Moisture problems generally occur as a result of water leaks, vapor convection, and/or vapor diffusion. The causes of water leaks are generally easy to see and understand. Vapor convection/diffusion problems arise over time and are generally a result of several items added together: low cooling season set point temperature by the homeowner (around 70 F) + installation in a hot, humid coastal climate+ leaky supply ductwork + oversized cooling equipment which doesn't dehumidify adequately + the presence of vinyl covered wall paper on exterior walls.

The MHRA document outlines about twenty case studies where moisture problems were related to the failure of either the floors, walls, windows, roofs, mechanical system, or duct system. Other case studies documented high humidity in the houses or crawl space moisture problems.

It appears that two to four homes out of 1,000 manufactured homes have a serious moisture problem. The problems appear to be more prevalent in newer homes built after 1995. Research needs to continue

on this topic and recommendations need to be developed for manufacturers as well as for HUD and other builders.

Project Publications

Chandra, Subrato, David Beal, and Brian Fuehrlein, 1999. The Entry Level Homes Project - A Case Study. IAMOT 1999, Proceedings of the 8th International Conference on Management of Technology. Cairo, Egypt. March 15-17, 1999, Part I, pp. 87-96.

Hodgson, A. T., D. Beal, and S. Chandra, 1999. Concentrations and Sources of Formaldehyde and Volatile Organic Compounds in Four New Manufactured Houses. Indoor Air 99, Proceedings of the 8th International Conference on Indoor Air Quality and Climate. Edinburgh, Scotland. August 8-13, 1999, vol. 4, pp. 119-124. Construction Research Communications Ltd. London, EC1R 4GB, UK.

Rudd, A. F. and J. W. Lstiburek, 1999. Design Methodology and Economic Evaluation of Central-Fan-Integrated Supply Ventilation Systems. Indoor Air 99, Proceedings of the 8th International Conference on Indoor Air Quality and Climate. Edinburgh, Scotland. August 8-13, 1999, vol. 5, pp. 25-30.

Media Recognition

The Home Front News, My Favorite New Product, July 1998.

Air Conditioning, Heating & Refrigeration News, What's New: Blower Control, September 14, 1998, pp. 24.

Air Conditioning, Heating & Refrigeration News, Fan recycling control offers improved indoor air and comfort for tight houses, September 28, 1998, pp. 30-33.

Energy Design Update, Computer Simulations Look Good for "Cathedralized" Attics, September 1998, pp. 6-10.

Builder, Resources: HVAC Electronic Control, October 1998, pp. 296.

Energy Design Update, Ventilation System Decision Flow Chart, February 1999, pp. 16.

References

(ACCA) Air Conditioning Contractors Association, 1999. Web page summarizes findings of a Contracting Business magazine survey of 80,000 households. <http://www.acca.org/articles/consumer.htm>

Cummings, James B. and Neil Moyer, 1995. Reassessment of Airtightness Practices in the Florida Energy Code. Contract Report 793-95. Florida Solar Energy Center. Cocoa, Florida.

Rudd, Armin, 1994. Side-by-Side Evaluation of a Stressed-Skin Insulated-Core Panel House and a Conventional Stud-Frame House. Contract Report 664-93. Florida Solar Energy Center. Cocoa, Florida.

Hodgson, A. T., D. Beal, and S. Chandra, 1999. Concentrations and Sources of Formaldehyde and Volatile Organic Compounds in Four New Manufactured Houses. Indoor Air 99, Proceedings of the 8th International Conference on Indoor Air Quality and Climate. Edinburgh, Scotland. August 8-13, 1999, vol. 4, pp. 119-124. Construction Research Communications Ltd. London, EC1R 4GB, UK.

| [CONTACT BAIHP](#) | [CONTACT WEBMASTER](#) |



[BAIHP Home](#) | [Overview](#) | [Case Studies](#) | [Current Data](#)
[Partners](#) | [Presentations](#) | [Publications](#) | [Researchers](#) | [Contact Us](#)

Copyright © 2002 Florida Solar Energy Center. All Rights Reserved.
Please address questions and comments regarding this web page to [BAIHP Master](#)